

L Number	Hits	Search Text	DB	Time stamp
1	12	(US-6665293-\$ or US-6363065-\$ or US-6657957-\$ or US-6542499-\$ or US-6226266-\$ or US-6192031-\$ or US-6304567-\$ or US-6745352-\$).did. or (US-20020105909-\$ or US-20020110112-\$ or US-20040022237-\$ or US-20020099985-\$).did.	USPAT; US-PGPUB	2004/07/01 09:04
2	199629	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:24
3	10	((US-6665293-\$ or US-6363065-\$ or US-6657957-\$ or US-6542499-\$ or US-6226266-\$ or US-6192031-\$ or US-6304567-\$ or US-6745352-\$).did. or (US-20020105909-\$ or US-20020110112-\$ or US-20040022237-\$ or US-20020099985-\$).did.) and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:10
4	850	(voip or voice-over-ip or voic-o-ip) and qos	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:11
5	210	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and ((voip or voice-over-ip or voic-o-ip) and qos)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:11
6	210	(voip or voice-over-ip or voic-o-ip) and qos and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:12
7	11	(voip or voice-over-ip or voic-o-ip) same qos same ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:12
8	759	(voip or voice-over-ip or voic-o-ip (voice\$1 near3 over near3 (internet or ip))) same (qos (quality\$1 near3 service\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:16
9	24	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) same ((voip or voice-over-ip or voic-o-ip (voice\$1 near3 over near3 (internet or ip))) same (qos (quality\$1 near3 service\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:15
10	1810	(voip or voice-over-ip or voic-o-ip (voice\$1 near3 over near3 (internet or ip))) and (qos (quality\$1 near3 service\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:16
11	440	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and ((voip or voice-over-ip or voic-o-ip (voice\$1 near3 over near3 (internet or ip))) and (qos (quality\$1 near3 service\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:17
12	226	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and ((voip or voice-over-ip or voic-o-ip (voice\$1 near3 over near3 (internet or ip))) and (qos (quality\$1 near3 service\$1))) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:19

Search History 7/1/04 3:30:16 PM Page 1

13	97	(((((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and ((voip or voice-over-ip or voic-o-ip (voice\$1 near3 over near3 (internet or ip))) and (qos (quality\$1 near3 service\$1)))) and 370/\$.ccls.) and @ad<20010207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:22
14	864	(collect\$4 or stor\$4 or accumat\$4 or monitor\$4) near10 ((qualit\$4 near3 servic\$4) qos quality) near10 block\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:24
15	61	(collect\$4 or stor\$4 or accumat\$4 or monitor\$4) near10 ((qualit\$4 near3 servic\$4) qos quality) near10 (block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near10 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:37
16	7	(packet\$4 adj1 los\$4) near3 represent\$4 near3 (value\$1 or symbol\$4 or marker\$1 or variabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:48
17	8	(packet\$4 near3 los\$4) near3 represent\$4 near3 (value\$1 or symbol\$4 or marker\$1 or variabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:51
18	3	(slid\$4 near3 window\$1 near3 exponent\$4) and (packet\$4 near3 los\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:50
19	22	("4147895" "5146477" "5423020" "5528598" "5534937" "5550877" "5621775" "5640388" "5652627" "5757871" "5764298" "5778218" "5872789" "5872823" "5881245" "5940479" "6097698" "6167465" "6301251" "6377931" "6452950" "6473432").PN.	USPAT	2004/07/01 11:50
20	24	(packet\$4 near3 los\$4) near10 represent\$4 near10 (value\$1 or symbol\$4 or marker\$1 or variabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 12:19
21	12	(packet\$4 near3 los\$4) near10 (weight\$4 adj1 averag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 12:20
-	1	09/779012	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:46
-	352	((voip or voice-over-ip or voic-o-ip) near3 (gateway\$1 or iwf or iwu)) and pstn and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:14
-	5521	370/401,402,465,466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:48

-	5446	370/230,352,230.1,231-235,353-356.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:49
-	55	((voip or voice-over-ip or voic-o-ip) near3 (gateway\$1 or iwif or iwu)) and pstn and internet) and 370/401,402,465,466.ccls. and 370/230,352,230.1,231-235,353-356.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:14
-	199462	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:09
-	21	((voip or voice-over-ip or voic-o-ip) near3 (gateway\$1 or iwif or iwu)) and pstn and internet) and 370/401,402,465,466.ccls. and 370/230,352,230.1,231-235,353-356.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 11:51
-	8	("5838683" "5875234" "6026087" "6064653" "6185204" "6430176" "6434139" "6470020").PN.	USPAT	2004/06/30 12:10
-	62	((voip or voice-over-ip or voic-o-ip) near3 (gateway\$1 or iwif or iwu)) and pstn and internet) and 370/230,352,230.1,231-235,353-356.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:15
-	30	((voip or voice-over-ip or voic-o-ip) near3 (gateway\$1 or iwif or iwu)) and pstn and internet) and 370/230,352,230.1,231-235,353-356.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and (packet\$4 near3 los\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:07
-	10	("5193151" "5400329" "5732078" "5796719" "6064653" "6192031" "6222824" "6226266" "6282192" "6377573").PN.	USPAT	2004/06/30 12:30
-	3	("5953312" "6064653" "6078582").PN.	USPAT	2004/06/30 12:34
-	16	((voip or voice-over-ip or voic-o-ip) near3 (gateway\$1 or iwif or iwu)) and pstn and internet) and 370/401,402,465,466.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and (packet\$4 near3 los\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:53
-	0	(collect\$4 or stor\$4 or accumat\$4 or monitor\$4) near3 (packet\$1) near3 los\$4 near3 (present\$4 or current\$4) near3 (connection\$1 or call\$1 or path\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:55
-	236657	(collect\$4 or stor\$4 or accumat\$4 or monitor\$4) near10 (packet\$1) near10 los\$4 near10 (present\$4 or current\$4) near10 (connection\$1 or call\$1 or path\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:05
-	1099	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next or future) near3 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:05

-	92	((collect\$4 or stor\$4 or accumat\$4 or monitor\$4) near10 (packet\$1) near10 los\$4 nea10 (present\$4 or current\$4) near10 (connection\$1 or call\$1 or path\$1)) and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next or furture) near3 (call\$1 or connect\$4)) and threshold\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:56
-	26	((collect\$4 or stor\$4 or accumat\$4 or monitor\$4) near10 (packet\$1) near10 los\$4 nea10 (present\$4 or current\$4) near10 (connection\$1 or call\$1 or path\$1)) and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next or furture) near3 (call\$1 or connect\$4)) and threshold\$1 and (Internet or ip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:22
-	88	370/401,402,465,466.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and (packet\$4 near3 los\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:10
-	1510	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next\$1 or following or furture) near3 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:13
-	1	370/401,402,465,466.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next\$1 or following or furture) near3 (call\$1 or connect\$4)) and (packet\$4 near3 los\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:10
-	30	370/401,402,465,466.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next\$1 or following or furture) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:10
-	1099	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next\$1 or furture) near3 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:56
-	18	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) adj1 (next\$1 or furture) adj1 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:14
-	5	("5953312" "6064653" "6078582" "6363065" "6452922").PN.	USPAT	2004/06/30 15:01
-	1032	370/401,402,465,466.ccls. and 370/230,352,230.1,231-235,353-356.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:02
-	7	370/401,402,465,466.ccls. and 370/230,352,230.1,231-235,353-356.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (next\$1 or following or furture) near3 (call\$1 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:02
-	0	(slid\$4 near3 window\$1 near3 exponent\$4) and 370/401,402,465,466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:06

-	27	(slid\$4 near3 window\$1 near3 exponent\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:49
-	31	(slid\$4 near5 window\$1 near5 exponent\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:32
-	4	((slid\$4 near5 window\$1 near5 exponent\$4)) not ((slid\$4 near3 window\$1 near3 exponent\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:20
-	7	(slid\$4 adj1 window\$1 adj1 exponent\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:51
-	2	("6745352").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:51
-	0	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (mininum\$1) near3 (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:01
-	0	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near10 (call\$1 or connect\$4) near10 (mininum\$1) near10 (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:58
-	2	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) same (call\$1 or connect\$4) same (mininum\$1) same (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:58
-	3238	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:00
-	12	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) adj1 (call\$1 or connect\$4) adj3 minimum\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:14
-	3238	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:08
-	84	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1)) same minim\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:02

-	11	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1)) same minim\$4) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:06
-	341	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:10
-	4556	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near5 (minimum\$4 or minimal or least\$4 or lowest) near3 (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:12
-	196	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near5 (minimum\$4 or minimal or least\$4 or lowest) near3 (duration\$1 or time\$1 or interval\$1)) and 370/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:10
-	10	((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near5 (minimum\$4 or minimal or least\$4 or lowest) near3 (duration\$1 or time\$1 or interval\$1)) and 370/\$.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:13
-	3498	(prevent\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near5 (minimum\$4 or minimal or least\$4 or lowest) near3 (duration\$1 or time\$1 or interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:12
-	2	((prevent\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near5 (minimum\$4 or minimal or least\$4 or lowest) near3 (duration\$1 or time\$1 or interval\$1)) and 370/\$.ccls. and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4) near3 (duration\$1 or time\$1 or interval\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:13
-	0	mimimum near3 call\$1 near3 duration\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:14
-	5910	call\$1 near3 duration\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:14
-	199462	(block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:14
-	37922	(collect\$4 or accumalat\$4 or stor\$4) near3 (error\$1 or dealy\$4 or failure\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:16

-	799155	threshold\$1 (predetermined near3 (time\$4 or duration\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:17
-	58	(call\$1 near3 duration\$4) and ((block\$4 or stop\$4 or re-rout\$4 or re-direct\$4 or rerout\$4 or redirect\$4 or halt\$4) near3 (call\$1 or connect\$4)) and ((collect\$4 or accumalat\$4 or stor\$4) near3 (error\$1 or dealy\$4 or failure\$4)) and (threshold\$1 (predetermined near3 (time\$4 or duration\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 19:17